



## **Support Organizations**

Stay informed to make the most of your vision. Contact these resources to learn more about age-related macular degeneration and get tips on how to handle vision impairments or conditions.

### **www.AMDhelp.com**

A complete patient resource with clear and easy-to-read AMD information.

### **AMD Alliance International**

1929 Bayview Avenue  
Toronto, Ontario M4G 3E8  
CANADA  
1-877-AMD-7171  
Email: [info@amdalliance.org](mailto:info@amdalliance.org)  
[www.amdalliance.org](http://www.amdalliance.org)

### **American Foundation for the Blind**

11 Penn Plaza, Suite 300  
New York, NY 10001  
1-800-232-5463  
Email: [afbinfo@afb.net](mailto:afbinfo@afb.net)  
[www.afb.org](http://www.afb.org)

### **Art Education for the Blind**

589 Broadway, 4th Floor  
New York, NY 10012  
Email: [Coordinator@artbeyondsight.org](mailto:Coordinator@artbeyondsight.org)  
[www.artbeyondsight.org](http://www.artbeyondsight.org)

### **Foundation of the American Academy of Ophthalmology**

655 Beach Street  
San Francisco, CA 94109-1336  
Email: [faao@aao.org](mailto:faao@aao.org)  
[www.aaofoundation.org](http://www.aaofoundation.org)

### **Foundation Fighting Blindness**

Executive Plaza 1, Suite 800  
11350 McCormick Road  
Hunt Valley, MD 21031-1014  
1-800-683-5555  
410-785-1414  
[www.blindness.org](http://www.blindness.org)



**Lighthouse International**

111 East 59th Street  
New York, NY 10022-1202  
1-800-829-0500  
[www.lighthouse.org](http://www.lighthouse.org)

**Macular Degeneration Foundation**

PO Box 531313  
Henderson, NV 89053  
888-633-3937  
[www.eyesight.org](http://www.eyesight.org)

**Macular Degeneration Partnership**

8733 Beverly Boulevard, Suite 201  
Los Angeles, CA 90048-1844  
1-888-430-9898  
310-423-6455  
[www.amd.org](http://www.amd.org)

**National Association for Visually Handicapped**

22 West 21st Street, 6th Floor  
New York, NY 10010  
212-889-3141  
Email: [navh@navh.org](mailto:navh@navh.org)  
[www.navh.org](http://www.navh.org)

**National Eye Institute National Institutes of Health**

2020 Vision Place  
Bethesda, MD 20892-3655  
301-496-5248  
E-mail: [2020@nei.nih.gov](mailto:2020@nei.nih.gov)  
[www.nei.nih.gov](http://www.nei.nih.gov)

**Prevent Blindness America**

500 East Remington Road  
Schaumburg, IL 60173-4557  
1-800-331-2020  
847-843-2020  
E-mail: [info@preventblindness.org](mailto:info@preventblindness.org)  
[www.preventblindness.org](http://www.preventblindness.org)



Learn more about MACUGEN and wet AMD by downloading our educational brochure.

You will need Adobe<sup>®</sup> Reader<sup>®</sup> to download this file. If you don't have Adobe<sup>®</sup> Reader<sup>®</sup>, you can download it for free.

Adobe and Adobe Reader are registered trademarks of Adobe Systems Incorporated.

To listen to the full prescribing information regarding MACUGEN, please click on the link entitled "Important Safety Information" on the menu bar located on the left of the screen.

MACUGEN is approved to treat wet age-related macular degeneration. It is available by prescription only.

Not all people respond the same to MACUGEN, so individual results may vary. The safety or efficacy of MACUGEN has not been proven beyond 2 years.

### **Important safety information**

With MACUGEN, you may have some side effects, mostly in the eye and due to the injection procedure. The most common side effects are burning sensation, eye pain, redness, light sensitivity, vision loss, blurred vision, visual disturbances, high blood pressure, and cataract. For a complete list of side effects, please ask your doctor or see the prescribing information.

You should not receive MACUGEN if you have an infection in or around your eye or if you are hypersensitive (allergic) to pegaptanib sodium or any of the other ingredients.

A serious eye infection can sometimes develop after an injection into the eye. Signs of a serious infection may include eye pain, light sensitivity, and/or vision changes. Check with a retinal physician immediately if you experience any of these symptoms, so you can be treated early if an infection occurs.

Eye injections like those with MACUGEN can increase eye pressure. This is something you would not notice; however, your retinal physician may do some extra tests after your injection to make sure there are no complications.

In rare cases, allergic reactions have been known to occur. Tell your retinal physician about any known allergies.

Please follow your retinal physician's recommendations for your therapy. If you have any questions about MACUGEN, ask your retinal physician.



IT TAKES ALL TYPES™



The health information contained herein is provided for educational purposes only and is not intended to replace discussions with a health care provider. All decisions regarding patient care must be made with a health care provider, considering the unique characteristics of the patient.

Copyright 2006 (OSI) Eyetech Pharmaceuticals, Inc., and Pfizer Inc. All rights reserved.

The product information in this site is intended only for residents of the United States. The products discussed herein may have different product labeling in different countries.

Pfizer is a licensee of the TRUSTe Privacy Program.  
MU277755